

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: ALLRIDE SCREENWASH WINTER -5°C
Product code	: 09377011

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance. Windscreen wash.

1.3. Details of the supplier of the safety data sheet

Supplier	 Kemetyl Nederland BV Industrieweg 30 3762 EK Soest, The Netherlands
Telephone	: +31-35 7604900
E-mail	: msds@kemetyl.com
Website	: www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/ NL - Telephone : +31-35-6099310	FIRE BRIGADE/POLICE only:	(During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS National Poisons Information Service	only): +44 344 892 0111	(24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Not classified as dangerous according to Regulation (EC) No 1272/2008.
Human health hazards Physical/chemical hazards Environmental hazards	:	Low hazard for usual industrial or commercial handling. Not classified as dangerous according to statutory EC-Directives. Combustible. Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008 Hazard pictograms	3/EC): : None.	
Signal word	: Not applicable.	
H- and P-phrases	: None.	
Labelling of packagings wh Hazard pictograms	ere the contents do not exceed 125 ml and it is technically : None.	impossible to list all phrases:
Signal word	: Not applicable.	
H- and P-phrases	: None.	
Additional labelling (for all	backaging sizes) : Keep out of reach of children.	
Ingredient declaration acco	rding to Regulation EC 648/2004:	
Contains:		Concentration (%)

Contains:

Product name Date of issue



According to Regulation (EU) No 2015/830

Kemetyl

Perfumes, 2-Bromo-2-nitropropane-1,3-diol.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.		EC number	Remark	REACH nr.
Ethanol	5 - < 10	64-17-5		200-578-6		01-2119457610-43
Ethanediol	1 - < 5	107-21-	1	203-473-3		01-2119456816-28
Substance name	Hazard Class		H-phra	ses	Pictograms	
Ethanol	Eye Irrit. 2; Flar	Eye Irrit. 2; Flam. Liq. 2		-1319	GHS02; GHS07	H319 : C >= 50 %
Ethanediol	Acute Tox. 4; S 2	TOT RE	H302; I	1373	GHS07; GHS08	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

Inhalation: Move victim into fresh air. Consult a doctor if victim feels unwell.Skin contact: Take off contaminated clothing. Wash off skin with plenty of water before product dries up.Eye contact: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.Ingestion: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms		
Inhalation	:	May cause headache, dizziness and a feeling of sickness.
Skin contact	:	May cause dry skin.
Eye contact	:	May cause stinging of eyes and redness.
Ingestion	:	May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media Suitable

: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.



According to Regulation (EU) No 2015/830

Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards: None known.Hazardous thermal: Carbon monoxide may be evolved if incomplete combustion occurs.decomposition products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation. equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect from sunlight.
Recommended packaging Non recommended packaging	 Keep only in the original container. Steel (except stainless steel).

- 7.3. Specific end use(s)
- Use

: Use only as directed. Do not mix with other products. Do not breathe spray.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Product name Date of issue



According to Regulation (EU) No 2015/830

8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanol		260	1900	-	MAC: NL
Ethanol	GB	1920	-	-	
Ethanediol	EC	52	104	Skin	
Ethanediol	GB	52	104	Skin	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	~	Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	1900 mg/m3			950 mg/m3
	Dermal				343 mg/kg bw/day
Ethanediol	Dermal				106 mg/kg bw/day
	Inhalation			35 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	DNEL, short-term DNEL, lo		_, long-term	
	exposure					
	·	Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Inhalation	950 mg/m3		1	114 mg/m3	
	Dermal				206 mg/kg bw/day	
	Oral				87 mg/kg bw/day	
Ethanediol	Dermal				53 mg/kg bw/day	
	Inhalation			7 mg/m3		

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Ethanediol	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
	STP			199,5 mg/l
	Soil			1,53 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures

: When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection

: Use of specific protective industrial clothing is not required under normal conditions of use.



According to Regulation (EU) No 2015/830

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large sca exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accor with EN 140.	
Hand protection : Under normal conditions of use specific gloves are not required.	
Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.	

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Odour	: Liquid. : Blue. : Perfumed.	
Odour threshold	: Not known.	
рН	: 7	
Solubility in water	: Soluble.	
Partition coefficient (n-oc- tanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: 53 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93) Does not support combustion.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 180 °C	
Boiling point/boiling range	: 78 °C	
Melting point/melting range		
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 3,2 (Ethanediol)
	:	Upper explosion limit in air (%): 19 (Ethanol)
Oxidising properties	: Not applicable.	
Decomposition temperature		(4
Viscosity (20°C)	: 1 mm2/sec	(1 mm2/sec = 1 cSt)
Viscosity (40°C)	: 1 mm2/sec : > 2300 Pa	
Vapour pressure (20°C) Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 0,98 g/ml	(air = 1)
Evaporation rate	: > 1	(n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	: See sub-sections below.
10.2. Chemical stability	/
Stability	: Stable under normal conditions.
10.3. Possibility of haz	ardous reactions
Reactivity	: No other hazardous reactions known.
10.4. Conditions to avo	bid
Conditions to avoid	: See section 7.

Replaces issue dated



According to Regulation (EU) No 2015/830

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Product name Date of issue

: ---



According to Regulation (EU) No 2015/830

Ecotoxicity

 Calculated LC50 (fish): 3688 mg/l. Calculated EC50 (waterflea): 2069 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

12.4. Mobility in soil			
Mobility	: If product enters soil, it will be highly mobile and may contaminate groundwater.		
12.5 Posults of PBT and	12.5. Posulte of PRT and vPvR ass		

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses. Avoid discharge of waste water arising from tank cleaning to the environment.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railwa Class	ay/inland waterways) : This product is not classified according to ADR/RID/ADN.
IMDG (sea) Class Marine pollutant	: This product is not classified according to IMDG. : No
IATA (air) Class	: This product is not classified according to IATA.



Marpol

Safety data sheet

According to Regulation (EU) No 2015/830

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety : Not applicable. assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant



Safety data sheet According to Regulation (EU) No 2015/830

SU TWA/STEL UN VOC vPvB	 Sector of Use Time-Weighted Average/Short Term Exposure Limit United Nations Volatile Organic Compounds Very Persistent and Very Bioaccumulative
	ile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological oliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.
Procedure used to deriving Not classified	ve the classification according to Regulation (EC) No. 1272/2008: : Based on test methods, experts judgement, bridging principles and calculation methods.
Full text of hazard class Flam. Liq. 2 Acute Tox. 4 Eye Irrit. 2 STOT RE 2	: Acute toxicity, category 4.
Full text of H-phrases n H225 H302 H319 H373	nentioned in section 3: Highly flammable liquid and vapour. Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.
Advice on any training	appropriate for workers: none.
Number format	: "," used as decimal separator.

End of safety data sheet.

Print date : 2020-02-25