

Page 1/6

Issue EN: 19.02.2020 Version: 1 /EN

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier:

Commercial name: Car Air Freshener Cherry.

Other means of identification: No data.

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Preparation use: Air freshener.

Uses advised against: No data.

1.3. Details of the supplier of the safety data sheet:

Distributor:

TRUCK-SHOP B.V.

De Corridor 12 E

3621 ZB Breukelen

The Netherlands

Telephone: +31-346-284848

https://truck-shop.nl/

e-mail: info@truck-shop.nl

1.4. Emergency telephone number:

112 and +48 71 387 85 33 (operating Mo.-Fr. 8-16).

2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture.

Skin Sensitizer, category 1, H317 - May cause an allergic skin reaction.

Hazardous to the aquatic environment, Chronic, category 3, H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements:

In compliance with Regulation no 1272/2008/EC:

Pictograms:



Signal word: Warning. Hazard Statement:

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/container to approved disposal site, in accordance with local regulations.

Additional labeling requirements:

Contains ethyl 2,3-epoxy-3-phenylbutyrate.



Page 2/6

Issue EN: 19.02.2020 Version: 1 /EN

2.3 Other hazards.

No other hazards are known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixture.

INGREDIENTS	CAS	EINECS	Registration number	Classification 1272/2008	Range [%]
benzaldehyde	100-52-7	202-860-4	01-2119455540-44	Acute Tox. 4 (Oral), H302	8,4-11,2
isopentyl acetate substance with a Community workplace exposure limit	123-92-2	204-662-3	01-2119548408-32	Flam. Liq. 3, H226	5,6-7,0
vanillin	121-33-5	204-465-2		Eye Irrit. 2, H319	1,4-2,8
p-methoxybenzyl acetate	104-21-2	203-185-8		Skin Irrit. 2, H315 Eye Irrit. 2, H319	1,4-2,8
ethyl 2,3-epoxy-3- phenylbutyrate [ethylmethylphenylglycidate]	77-83-8	201-061-8		Skin Sens. 1B, H317 Aquatic Chronic 2, H411	0,84-1,4
benzyl acetate	140-11-4	205-399-7	01-2119638272-42	Aquatic Chronic 3, H412	0,56-0,84
difenil eter	101-84-8	202-981-2	01-2119472545-33	Eye Irrit. 2, H319 Aquatic Chronic 2, H411	0,56-0,84
4-(2,6,6-trimethylcyclohex-2- ene-1-yl)-but-3-ene-2-one	127-41-3	204-841-6		Aquatic Chronic 3, H412	0,28-0,56
methyl 2-naphthyl ether	93-04-9	202-213-6	01-2119937828-21	Aquatic Chronic 2, H411	0,28-0,56
4-(2,6,6-trimethylcyclohex-1- ene-1-yl)-but-3-ene-2-one	14901-07-6; 79-77-6	238-969-9; 201-224-3		Aquatic Chronic 2, H411	0,28-0,56
4-(p-hydroxyphenyl)-2- butanone	5471-51-2	226-806-4		Acute Tox. 4 (Oral), H302	0,28-0,56
1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran + DEP	1222-05-5	214-946-9	01-2119488227-29	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0,14-0,28

Further informations are given in point 16.

4. FIRST AID INSTRUCTIONS

4.1 Description of first aid measures

In case of inhalation

If symptoms appear provide fresh air. If necessary contact physician.

In case of skin contact

Wash the contaminated skin with plenty of water. If necessary contact physician.

In case of eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. If necessary contact physician.

In case of ingestion

Rinse mouth immediately and drink plenty of water. Contact physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

In case of direct contact with eyes may cause irritation, redness, lacrimation. Contact with skin may cause itching, local redness, After ingestion may cause irritation of the mucous membranes of the gastrointestinal tract and stomach, nausea, vomiting, constipation, abdominal pain. The product can cause skin allergic reaction to particularly sensitive people.

4.3 Indication of any immediate medical attention and special treatment needed

No special requirements. Apply symptomatic treatment. Provide the assisting physician with SDS.



Page 3/6

Issue EN: 19.02.2020 Version: 1 /EN

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide, foam, dry chemical. Adapt the extinguishing agent to the environment.

5.2 Special hazards arising from the mixture

Combustion releases carbon oxides, smoke, unidentyfied organic compounds.

5.3 Advice for firefighters

Use water spray to protect personnel and to cool endangered containers. Use suitable breathing apparatus. Protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provision for sufficient ventilation.

6.2. Environmental precautions

Prevent product from entering drains, surface water and groundwater.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Wash spill residue with plenty of water. Dispose of in accordance with local regulations.

6.4 Reference to other sections

Remove according to the recommendations listed in the section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Apply good manufacturing and industrial hygiene practices and adequate ventilation. Do not eat, drink or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original containers and protected from light. Store in a cool, dry and ventilated area. Keep away from sources of ignition and naked flames, keep away from food, drinks and animal. Keep away from strong oxidizing agents. Optimal temperature for storage is between 5 and 35°C.

7.3. Specific end use(s)

No data.

8. REDUCTION OF EXPOSURE BY THE SUBSTANCE OR PREPARATION AND PROTECTION OF PERSONS

8.1. Control parameters.

isopentyl acetate; CAS: 123-92-2

TWA - 270 mg/m³

STEL - 540 mg/m³

8.2. Exposure controls.

- Individual protection measures, such as personal protective equipment: Wash hands before breaks and after work. At work do not eat, drink or smoke.
- Respiratory protection: Under normal conditions it is not required.
- **Eye/face protection:** Safety glasses with side shields.
- Hand protection: protective gloves in long or frequent contact.
- Body protection: protective clothing.
- Environmental exposure controls: Prevent product from entering drains, surface water and groundwater.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Appearance
- Cellulose with absorbed liquid. b) Odour
 - Odour Characteristic for the fragrance used.



Page 4/6

Issue EN: 19.02.2020 Version: 1 /EN

- c) Odour threshold
- No data available.
- d) pН
- No data available. e) Melting/freezing point
- No data available.
- f) Initial boiling temperature, boiling range No data available.
- Flash point g)
- No data available.
- h) Evaporation rate No data available.
- i) Flammability
- No data available. Upper/lower flammability limit or upper/lower explosion limit j) Not applicable (the mixture has no explosive properties).
- k) Vapour pressure
- No data available. I) Vapour density
- No data available. m) Relative density
- No data available.
- n) Solubility
- No data available. Partition coefficient: n-Octanol/water O) No data available.
- p) Auto-ignition temperature
- No data available.
- q) Decomposition temperature No data available.
- r) Viscosity No data available.
- s) Explosive properties
- No explosion hazard.
- t) Oxidizing properties
- No data available.

9.2 Other information

No data available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

No reactivity if stored and used according to the identified uses.

10.2 Chemical stability

Stable in standard conditions of storage and use.

10.3 Possibility of hazardous reactions

None identified.

10.4 Conditions to avoid

The product is stable under normal storage conditions. Product is not reactive alone, or in contact with water. Avoid temperatures below 5°C and above 35°C. Avoid contact with heat, sunlit places and low temperature.

10.5 Incompatible materials

Strong acid, alkalis or oxidizing agents.

10.6 Hazardous decomposition products

No expected.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

On the basis of available data, the classification criteria are not met. Irritation/Corrosivity:

On the basis of available data, the classification criteria are not met.



Page 5/6

Issue EN: 19.02.2020 Version: 1 /EN

Sensitisation:

On the basis of available data, the classification criteria are not met. <u>Mutagenicity:</u>

On the basis of available data, the classification criteria are not met. Carcinogenicity:

On the basis of available data, the classification criteria are not met. Reproductive toxicity:

On the basis of available data, the classification criteria are not met. <u>Specific Target Organ Toxicity – single exposure:</u> On the basis of available data, the classification criteria are not met. <u>Specific Target Organ Toxicity – repeated exposure:</u>

On the basis of available data, the classification criteria are not met. Aspiration hazard:

On the basis of available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1. Toxicity
No data.
12.2. Persistence and degradability
No data.
12.3. Bioaccumulative potential
No data.
12.4. Mobility in soil
No data.
12.5. Results of PBT and vPvB assessment
No data.
12.6. Other adverse effects
No data.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product: Dispose of in accordance with local regulations. Remains stored in their original containers. If possible, preference is given to recycling.

Packaging: recovery / recycling / liquidation of packaging waste carried out in accordance with the applicable regulations. Non-contaminated packages may be recycled. Empty packaging cannot reused.

This material and its container in a safe way.

Waste code, contaminated packaging	15 01 04 Metal packaging		
Clean packaging	15 01 04 Metal packaging		
Waste code, contaminated packaging	15 01 01 Paper and cardboard packaging		
Clean packaging	15 01 01 Paper and cardboard packaging.		
Waste code, contaminated packaging	15 01 02 Plastic packaging		
Clean packaging	15 01 02 Plastic packaging.		

14. TRANSPORT INFORMATION

14.1. UN number
Not applicable.
14.2. UN proper shipping name
Not applicable.
14.3. Transport hazard class(es)
Not applicable.
14.4. Packing group
Not applicable.
14.5. Environmental hazards
The product is no hazardous for the environment according to the UN model criteria.
14.6. Special precautions for user



Page 6/6

Issue EN: 19.02.2020 Version: 1 /EN

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15. REGULATORY INFORMATION

15.1. Regulations concerning the safety, health and environmental for the substance or mixture.

- Regulation (EC) No **1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/4
- Regulation (EC) No **1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures.
- Commission Regulation (EC) No 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.
- COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

15.2. Chemical safety assessment.

No data available.

16. FURTHER INFORMATION RELATED TO THE SUBSTANCE OR PREPARATION

Abreviations:

TWA STEL vPvB PBT	² Time-Weighted Average Exposure Limit (8-hour working day and 40-hour week). Short Term Exposure Limit (30 minutes). very Persistent very Bioaccumulative. Persistent, Bioaccumulative, Toxic.		
H226	Flammable liquid and vapour.		
-			
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects		

H410 Very toxic to aquatic life with long lasting effects.

- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

The above information is based on our current state of art and product as it is used. Data concerning this product are presented in order to take into account the security requirements and not to guarantee its special properties. Where the conditions of use of the product are not under the control of the manufacturer's responsibility for the safe use of the product falls to the user. Safety Data Sheet has been prepared based on safety data sheets provided by the manufacturers and the current Polish regulations relating to chemical substances and mixtures. The safety sheet is the property of the natural person or legal entity indicated in point 1.3 and protected by copyright. All copying, distribution or sale without the permission of the owner is prohibited.